



index : kernel/git/stable/linux.git

master



switch

Linux kernel stable tree

Stable Group

[about](#) [summary](#) [refs](#) [log](#) [tree](#) [commit](#) [diff](#) [stats](#)

log msg



search

author Shang XiaoJing <shangxiaojing@huawei.com> 2022-11-02 15:29:54 +0800
committer Masami Hiramatsu (Google) <mhiramat@kernel.org> 2022-11-04 09:10:03 +0900
commit 66f0919c953ef7b55e5ab94389a013da2ce80a2c (patch)
tree 96886a99654cf3ae52797bf018696824abc66ddf
parent 61b304b73ab4b48b1cd7796efe42a570e2a0e0fc (diff)
download [linux-66f0919c953ef7b55e5ab94389a013da2ce80a2c.tar.gz](#)

diff options

context: 3
space: include
mode: unified

tracing: kprobe: Fix memory leak in test_gen_kprobe/kretprobe_cmd()

test_gen_kprobe_cmd() only free buf in fail path, hence buf will leak when there is no failure. Move kfree(buf) from fail path to common path to prevent the memleak. The same reason and solution in test_gen_kretprobe_cmd().

unreferenced object 0xffff888143b14000 (size 2048):

comm "insmod", pid 52490, jiffies 4301890980 (age 40.553s)

hex dump (first 32 bytes):

```
70 3a 6b 70 72 6f 62 65 73 2f 67 65 6e 5f 6b 70  p:kprobes/gen_kp
72 6f 62 65 5f 74 65 73 74 20 64 6f 5f 73 79 73  robe_test do_sys
```

backtrace:

```
[<0000000006d7b836b>] kmalloc_trace+0x27/0xa0
[<00000000009528b5b>] 0xfffffffffa059006f
[<0000000008408b580>] do_one_initcall+0x87/0x2a0
[<000000000c4980a7e>] do_init_module+0xdf/0x320
[<000000000d775aad0>] load_module+0x3006/0x3390
[<000000000e9a74b80>] __do_sys_finit_module+0x113/0x1b0
[<0000000003726480d>] do_syscall_64+0x35/0x80
[<0000000003441e93b>] entry_SYSCALL_64_after_hwframe+0x46/0xb0
```

Link: <https://lore.kernel.org/all/20221102072954.26555-1-shangxiaojing@huawei.com/>

Fixes: 64836248dda2 ("tracing: Add kprobe event command generation test module")

Cc: stable@vger.kernel.org

Signed-off-by: Shang XiaoJing <shangxiaojing@huawei.com>

Acked-by: Masami Hiramatsu (Google) <mhiramat@kernel.org>

Signed-off-by: Masami Hiramatsu (Google) <mhiramat@kernel.org>

Diffstat

```
-rw-r--r-- kernel/trace/kprobe_event_gen_test.c 18
```

1 files changed, 7 insertions, 11 deletions

diff --git a/kernel/trace/kprobe_event_gen_test.c b/kernel/trace/kprobe_event_gen_test.c
index 80e04a1e19772a..d81f7c51025c79 100644

--- a/kernel/trace/kprobe_event_gen_test.c

+++ b/kernel/trace/kprobe_event_gen_test.c

```
@@ -100,20 +100,20 @@ static int __init test_gen_kprobe_cmd(void)
                                KPROBE_GEN_TEST_FUNC,
                                KPROBE_GEN_TEST_ARG0, KPROBE_GEN_TEST_ARG1);
```

```
    if (ret)
```

```
-    goto free;
```

```

+         goto out;

/* Use kprobe_event_add_fields to add the rest of the fields */

ret = kprobe_event_add_fields(&cmd, KPROBE_GEN_TEST_ARG2, KPROBE_GEN_TEST_ARG3);
if (ret)
-         goto free;
+         goto out;

/*
 * This actually creates the event.
 */
ret = kprobe_event_gen_cmd_end(&cmd);
if (ret)
-         goto free;
+         goto out;

/*
 * Now get the gen_kprobe_test event file. We need to prevent
@@ -136,13 +136,11 @@ static int __init test_gen_kprobe_cmd(void)
        goto delete;
    }
out:
+    kfree(buf);
    return ret;
delete:
    /* We got an error after creating the event, delete it */
    ret = kprobe_event_delete("gen_kprobe_test");
- free:
-    kfree(buf);
-
    goto out;
}

@@ -170,14 +168,14 @@ static int __init test_gen_kretprobe_cmd(void)
        KPROBE_GEN_TEST_FUNC,
        "$retval");

    if (ret)
-         goto free;
+         goto out;

/*
 * This actually creates the event.
 */
ret = kretprobe_event_gen_cmd_end(&cmd);
if (ret)
-         goto free;
+         goto out;

/*
 * Now get the gen_kretprobe_test event file. We need to
@@ -201,13 +199,11 @@ static int __init test_gen_kretprobe_cmd(void)
        goto delete;
    }
out:
+    kfree(buf);
    return ret;
delete:
    /* We got an error after creating the event, delete it */
    ret = kprobe_event_delete("gen_kretprobe_test");
- free:
-    kfree(buf);

```

```
-  
    goto out;  
}
```