

Plugin Directory

source: [otpless](#) / [tags](#) / [2.0.59](#) / [includes](#) / [class-login.php](#)

Last change on this file was [3232438](#), checked in by [otpless](#), 3 months ago
adding new version : 2.0.59.
File size: 25.3 KB

Line	
1	<?php
2	
3	/**
4	* Login class.
5	*
6	* @category Class
7	* @package OTPless
8	* @subpackage WordPress
9	* @author OTPless <help@otpless.com>
10	* @license https://opensource.org/licenses/GPL-3.0 GPL-3.0-only
11	* php version 7.4.0
12	*/
13	
14	class Otpless_Login
15	{
16	public \$path;
17	public \$url;
18	public \$wc;
19	public \$redirect_page;
20	public \$new_user_redirect_page;
21	public \$role;
22	public \$cId;
23	public \$appId;
24	public \$checkout;
25	public \$cSecret;
26	private \$user_email;
27	private \$selected_pages=[];
28	
29	/**
30	* Constructor
31	*
32	* @since 0.0.0
33	* @access public
34	*/
35	public function __construct ()
36	{
37	
38	\$this->path = plugin_dir_path(dirname(__FILE__));
39	\$this->url = plugin_dir_url(dirname(__FILE__));
40	
41	\$otpless_options = get_option('otpless_option_name');
42	if (empty(\$otpless_options)){
43	\$otpless_options['wc_login'] = 1;
44	\$otpless_options['widget_login'] = 1;
45	\$otpless_options['checkout_login'] = 0;
46	}
47	
48	\$this->checkout = \$otpless_options['checkout_login'];
49	\$this-

Line	>redirect_page = isset(\$otpless_options['redirect_page']) ? \$otpless_options['redirect_page'] : '';
50	\$this->
	>new_user_redirect_page = isset(\$otpless_options['new_user_redirect_page']) ? \$otpless_options['new_user_redirect_page'] : '';
51	\$this->selected_pages = isset(\$otpless_options['pages']) ? \$otpless_options['pages'] : array();
52	
53	\$this->cId = isset(\$otpless_options['clientId']) ? \$otpless_options['clientId'] : '';
54	\$this->appId = isset(\$otpless_options['appId']) ? \$otpless_options['appId'] : '';
55	\$this->cSecret = isset(\$otpless_options['clientSecret']) ? \$otpless_options['clientSecret'] : '';
56	if(empty(\$this->appId)){
57	\$this->appId = \$this->get_otpless_merchant_app_id();
58	}
59	
60	if(empty(\$this->appId) empty(\$this->cId) empty(\$this->cSecret)){
61	add_action('admin_notices', array(\$this, 'my_custom_notice'));
62	}
63	
64	if(!empty(\$this->cSecret) && !empty(\$this->cId)){
65	\$this->role = isset(\$otpless_options['user_role']) ? \$otpless_options['user_role'] : "customer";
66	
67	if(\$otpless_options['wc_login'] == 1 && !is_user_logged_in()){
68	add_filter('woocommerce_locate_template', array(\$this, 'my_custom_myaccount_page'), 10, 3);
69	add_filter('woocommerce_account_menu_items', array(\$this, 'remove_logout_link'));
70	add_filter('wp_enqueue_scripts', array(\$this, 'remove_account_password_fields'));
71	}
72	
73	if(\$otpless_options['widget_login'] == 1 && !is_user_logged_in()){
74	add_action('template_redirect', array(\$this, 'wpse_inspect_page_id'));
75	}
76	add_filter('auto_update_plugin', array(\$this, 'disable_otpless_wordpress_auto_update'), 10, 2);
77	
78	add_shortcode('otpless_signin', array(\$this, 'otpless_login_page_drag_and_drop_button_shortcode'));
79	add_shortcode('otpless_button_signin', array(\$this, 'otpless_button_drag_and_drop_button_shortcode'));
80	add_action('init', array(\$this, 'otpless_authorize_user'), 10);
81	}
82	}
83	
84	function otpless_button_drag_and_drop_button_shortcode(){
85	if(!is_user_logged_in()){
86	\$html = '<style>
87	div#otpless-floating-button {
88	display: none;
89	}
90	
91	.button {
92	background-color: rgb(48, 98, 212);
93	color: #fff;
94	padding: 10px 20px;
95	border: none;
96	cursor: pointer;
97	border-radius: 5px;
98	font-size: 16px;
99	width: 200px;
100	}
101	
102	.overlay {
103	position: fixed;
104	top: 0;
105	left: 0;
106	width: 100%;
107	height: 100%;
108	background-color: rgba(0, 0, 0, 0.5);

```

Line
109         justify-content: center;
110         align-items: center;
111         z-index: 999;
112     }
113
114     .dsp-n {
115         display: none;
116     }
117
118     .dsp-f {
119         display: flex;
120     }
121
122     .popup {
123         background-color: #fff;
124         border-radius: 10px;
125         box-shadow: 0px 0px 10px 0px rgba(0, 0, 0, 0.5);
126         position: relative;
127     }
128 </style>
129 <button class="button" onclick="togglePopup()">Login</button>
130 <div class="overlay dsp-n" id="overlay" onclick="togglePopup()">
131     <div class="popup">
132         <div id="otpless-login-page"></div>
133         <script defer src="https://otpless.com/v2/wordpress.js" id="otpless-sdk" cid="'. $this->appId.'" data-appid="'. $this->appId.'"></script>
134     </div>
135 </div>
136 <script>
137     function togglePopup() {
138         const overlay = document.getElementById("overlay");
139         if (overlay.classList.contains("dsp-n")) {
140             overlay.classList.remove("dsp-n");
141             overlay.classList.add("dsp-f");
142         } else {
143             overlay.classList.remove("dsp-f");
144             overlay.classList.add("dsp-n");
145         }
146     }
147 </script>';
148     return $html;
149 }else{
150     $html = '';
151 }
152     return $html;
153 }
154
155     function my_custom_notice() {
156         $setting_url = site_url() . "/wp-admin/options-general.php?page=OTPless";
157     ?>
158 <style>
159 .otpless-a:hover {
160     color: #000;
161     text-decoration: underline !important
162 }
163 </style>
164 <div class="notice notice-info is-dismissible"
165     style="background-color: #ffedee;font-size: 13px;color: black;padding: 10px;border-radius: 5px;display:
flex;align-items: center;border-left-color: #d63638;">
166     <span
167         style="font-weight: 600;">Complete your integration - OTPLESS</span>&nbsp; Enter the required details
in the
168     websitesettings. <a href="<?php echo $setting_url;?>" class="otpless-a"
169         style="color: #000000 !important; margin-left: 6px;text-decoration: none;font-size: 17px;"

```

```

Line
170         target="_blank">Click here for more information.</a>
171
172     </div>
173     <?php
174         }
175
176     public function get_otplless_merchant_app_id(){
177
178         $url = site_url();
179         $post_data = json_encode(array(
180             "loginUri" => $url,
181             "platform" => "WORDPRESS"
182         ));
183
184         $clientId = $this->cId;
185         $clientSecret = $this->cSecret;
186
187         $curl = curl_init();
188         curl_setopt_array($curl, array(
189             CURLOPT_URL => 'https://metaverse.otplless.app/internal/merchant/get-app-details',
190             CURLOPT_RETURNTRANSFER => true,
191             CURLOPT_ENCODING => '',
192             CURLOPT_MAXREDIRS => 10,
193             CURLOPT_TIMEOUT => 0,
194             CURLOPT_FOLLOWLOCATION => true,
195             CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
196             CURLOPT_CUSTOMREQUEST => 'POST',
197             CURLOPT_POSTFIELDS => $post_data,
198             CURLOPT_HTTPHEADER => array(
199                 'clientId: ' . $clientId,
200                 'clientSecret: ' . $clientSecret,
201                 'Content-Type: application/json'
202             ),
203         ));
204         $response = curl_exec($curl);
205         curl_close($curl);
206
207         $decoded_response = json_decode($response, true);
208         if ($decoded_response && $decoded_response['statusCode'] == "200") {
209             return $decoded_response['data']['appId'];
210         } else {
211             return '';
212         }
213     }
214
215     function disable_otplless_wordpress_auto_update( $update, $item ) {
216         if ( $item->slug === 'otplless' || $item->plugin === 'otplless/wp-otplless.php') {
217             return false;
218         }
219
220         return $update;
221     }
222
223     function wpse_inspect_page_id() {
224         if (!is_admin() && !is_feed() && !is_trackback()) {
225             $current_page_id = get_queried_object_id();
226             $this->current_page_id = $current_page_id;
227             $this->checkPage();
228         }
229     }
230
231     function checkPage() {
232         if (!empty($this->selected_pages)) {

```

```

Line
233         if (in_array($this->current_page_id, $this->selected_pages)) {
234             if (!is_user_logged_in()) {
235                 add_action('wp_enqueue_scripts', array($this, 'otpless_wordpress_script'));
236             }
237         }
238     }else{
239         if(!is_user_logged_in()){
240             add_action( 'wp_enqueue_scripts', array($this, 'otpless_wordpress_script'));
241         }
242     }
243 }
244
245 function otpless_wordpress_script() {
246     ?>
247 <script>
248 window.isClientUserLogin = false;
249 </script>
250 <?php
251     $this -> importScript();
252 }
253
254
255 function remove_account_password_fields( $fields ) {
256     ?>
257 <style>
258 .woocommerce-EditAccountForm.edit-account fieldset {
259     display: none;
260 }
261 </style>
262 <?php
263     }
264
265 function remove_logout_link( $menu_links ){
266     unset( $menu_links['customer-logout'] );
267     return $menu_links;
268 }
269
270 function my_custom_myaccount_page( $template, $template_name, $template_path ) {
271     $basename = basename( $template );
272
273     if( $basename == 'form-login.php' ) {
274         if($this->checkout == 1){
275             if(is_account_page()){
276                 $template = plugin_dir_path( __FILE__ ) . 'templates/otpless-login-page.php';
277             }
278         }else{
279             $template = plugin_dir_path( __FILE__ ) . 'templates/otpless-login-page.php';
280         }
281     }
282     return $template;
283 }
284
285 function importScript() {
286     $template = '<script defer src="https://otpless.com/v2/wordpress.js" data-appid="'. $this->appId.'"
cid="'. $this->cId.'" id="otpless-sdk"></script>';
287     echo $template;
288 }
289
290
291 function otpless_login_page_drag_and_drop_button_shortcode() {
292     if(!is_user_logged_in()){
293         $html = '<div id="otpless-login-page" ></div><script defer
src="https://otpless.com/v2/wordpress.js" data-appid="'. $this->appId.'" cid="'. $this->cId.'" id="otpless-sdk">
</script>';

```

```

Line
294     return $html;
295 }else{
296     $html = '';
297 }
298     return $html;
299 }
300
301 public function otpless_create_user($mobile, $name, $email){
302
303     if(!$email == '' && !$email == null && !$mobile == '' && !$mobile == null){
304         $result = wp_create_user($mobile, wp_generate_password(), $email); // Create wp user
305         if(is_wp_error($result)){ // If get error to create the user - log message
306             $error = $result->get_error_message();
307             $this->log( $error );
308         }else{ // If user was successfully created - receive and return login url
309
310             $user_data = get_user_by('id', $result);
311             $user_id_role = new WP_User($user_data->ID);
312             $user_id_role->set_role($this->role);
313
314             wp_update_user( array(
315                 'ID' => $user_data->ID,
316                 'display_name' => $name,
317                 'user_nicename' => $name
318             ) );
319
320             $current_time = current_time('mysql');
321
322             update_user_meta( $user_data->ID, 'last_login', $current_time);
323             update_user_meta( $user_data->ID, 'first_name', $name );
324             update_user_meta( $user_data->ID, 'mobile', $mobile );
325             update_user_meta( $user_data->ID, 'nickname', $name );
326             update_user_meta( $user_data->ID, 'billing_phone', $this->getMobileNumberWithPlus($mobile) );
327
328             $user_data = get_user_by( 'login', $mobile);
329             if($user_data){
330                 $this->login_session($user_data->ID, "NEW");
331             }
332
333             if($login_url = $this->get_login_url($user_data)){
334                 return $login_url;
335             }
336         }
337     }else if(!$email == '' && !$email == null && ( $mobile == '' || $mobile == null)) {
338         $result = wp_create_user($email, wp_generate_password(), $email);
339         if(is_wp_error($result)){ // If get error to create the user - log message
340             $error = $result->get_error_message();
341             $this->log( $error );
342         }else{ // If user was successfully created - receive and return login url
343
344             $user_data = get_user_by('id', $result);
345             $user_id_role = new WP_User($user_data->ID);
346             $user_id_role->set_role($this->role);
347
348             wp_update_user( array(
349                 'ID' => $user_data->ID,
350                 'display_name' => $name,
351                 'user_nicename' => $name
352             ) );
353
354             $current_time = current_time('mysql');
355
356             update_user_meta( $user_data->ID, 'last_login', $current_time);

```

```

Line
357     update_user_meta( $user_data->ID, 'first_name', $name );
358     update_user_meta( $user_data->ID, 'mobile', $mobile );
359     update_user_meta( $user_data->ID, 'nickname', $name );
360     update_user_meta( $user_data->ID, 'billing_phone', $this->getMobileNumberWithPlus($mobile) );
361
362
363     $user_data = get_user_by( 'email', $email);
364     if($user_data){
365         $this->login_session($user_data->ID, "NEW");
366     }
367     if($login_url = $this->get_login_url($user_data)){
368         return $login_url;
369     }
370 }
371 }else {
372     $result = wp_create_user($mobile, wp_generate_password(), "");
373     if(is_wp_error($result)){ // If get error to create the user - log message
374         $error = $result->get_error_message();
375         $this->log( $error );
376     }else{ // If user was successfully created - receive and return login url
377
378         $user_data = get_user_by('id', $result);
379         $user_id_role = new WP_User($user_data->ID);
380         $user_id_role->set_role($this->role);
381
382         wp_update_user( array(
383             'ID' => $user_data->ID,
384             'display_name' => $name,
385             'user_nicename' => $name
386         ) );
387
388         $current_time = current_time('mysql');
389
390         update_user_meta( $user_data->ID, 'last_login', $current_time);
391         update_user_meta( $user_data->ID, 'first_name', $name );
392         update_user_meta( $user_data->ID, 'mobile', $mobile );
393         update_user_meta( $user_data->ID, 'nickname', $name );
394         update_user_meta( $user_data->ID, 'billing_phone', $this->getMobileNumberWithPlus($mobile) );
395
396         $user_data = get_user_by( 'login', $mobile);
397         if($user_data){
398             $this->login_session($user_data->ID, "NEW");
399         }
400         if($login_url = $this->get_login_url($user_data)){
401             return $login_url;
402         }
403     }
404 }
405 }
406
407 public function login_session($user_Id, $user_type){
408     $referrer = sanitize_text_field($_SERVER['HTTP_REFERER']);
409     wp_set_auth_cookie( $user_Id, true, true );
410     $origin = filter_var($_SERVER['HTTP_HOST'], FILTER_SANITIZE_URL);
411     if($user_type == "NEW"){
412         if($this->new_user_redirect_page == "" || $this->new_user_redirect_page == null || $this->new_user_redirect_page == $origin || $this->new_user_redirect_page == "self"){
413             if (isset($referrer)) {
414                 wp_redirect($referrer);
415                 $this->exit();
416             }
417             wp_redirect( site_url() );// Redirect
418         }else{

```

```

419         wp_redirect( $this->new_user_redirect_page ); // Redirect
420     }
421 }else{
422     if($this->redirect_page == "" || $this->redirect_page == null || $this->redirect_page == $origin ||
423 $this->redirect_page == "self"){
424         if (isset($referrer)) {
425             wp_redirect($referrer);
426             $this->exit();
427         }
428         wp_redirect( site_url() );// Redirect
429     }else{
430         wp_redirect( $this->redirect_page ); // Redirect
431     }
432 }
433
434 $this->exit();
435 }
436
437 /**
438  * Authorize the user
439  *
440  * Check user auth key, set auth data in cookie and redirect to the page specified in the settings
441  * Fired by `login_head` action hook.
442  *
443  * @since 0.0.0
444  * @access public
445  */
446 public function otpless_authorize_user()
447 {
448     if(isset($_POST['logout'])){
449         wp_logout();
450         if (isset($_SERVER['HTTP_REFERER'])) {
451             $referrer = $_SERVER['HTTP_REFERER'];
452             wp_redirect($referrer);
453             $this->exit();
454         }
455         wp_redirect(home_url());
456         $this->exit();
457     }
458
459     if(isset($_POST['waName']) && (isset($_POST['waNumber']) || isset($_POST['waEmail']))) {
460
461         if(!$_POST['waNumber'] == "" && !$_POST['waNumber'] == null ){
462             $mobile_number = sanitize_text_field( $_POST['waNumber'] );
463             $user_data = get_user_by( 'login', $mobile_number);
464             if($user_data){
465                 $display_name = get_user_meta($user_data->ID, 'display_name', true);
466                 if (empty($display_name)) {
467                     wp_update_user( array(
468                         'ID' => $user_data->ID,
469                         'display_name' => $_POST['waName'],
470                         'user_nicename' => $_POST['waName']
471                     ) );
472                 }
473                 if(!$_POST['waEmail'] == "" && !$_POST['waEmail'] == null ){
474                     wp_update_user( array(
475                         'ID' => $user_data->ID,
476                         'user_email' => $_POST['waEmail']
477                     ) );
478                 }
479                 $current_time = current_time('mysql');
480

```

```

Line
481         update_user_meta( $user_data->ID, 'last_login', $current_time);
482         update_user_meta( $user_data->ID, 'mobile', $mobile_number );
483         update_user_meta( $user_data->ID, 'billing_phone', $this-
>getMobileNumberWithPlus($mobile_number) );
484
485         $this->login_session($user_data->ID, "OLD");
486     }else{
487         $user_id = $this->get_user_id_by_mobile($mobile_number);
488         if($user_id != 0){
489             $this->login_session($user_id, "OLD");
490         }
491         if(!$ _POST['waEmail'] == "" && !$_POST['waEmail'] == null){
492             $email = sanitize_email( sanitize_text_field( $_POST['waEmail'] ) );
493             $user_data = get_user_by( 'email', $email);
494             if($user_data){
495                 $display_name = get_user_meta($user_data->ID, 'display_name', true);
496                 if (empty($display_name)) {
497                     wp_update_user( array(
498                         'ID' => $user_data->ID,
499                         'display_name' => $_POST['waName'],
500                         'user_nicename' => $_POST['waName']
501                     ) );
502                 }
503
504                 $current_time = current_time('mysql');
505
506                 update_user_meta( $user_data->ID, 'last_login', $current_time);
507                 update_user_meta( $user_data-
>ID, 'mobile', sanitize_text_field($_POST['waNumber']));
508                 update_user_meta( $user_data->ID, 'billing_phone', $this-
>getMobileNumberWithPlus(sanitize_text_field($_POST['waNumber'])) );
509
510                 $this->login_session($user_data->ID, "OLD");
511             }
512         }
513         $this-
>otpless_create_user(sanitize_text_field($_POST['waNumber']), sanitize_text_field($_POST['waName']), sanitize_t
ext_field($_POST['waEmail']));
514     }
515 }
516
517 if(!$ _POST['waEmail'] == "" && !$_POST['waEmail'] == null ){
518     $email = sanitize_email( sanitize_text_field( $_POST['waEmail'] ) );
519     $user_data = get_user_by( 'email', $email);
520     if($user_data){
521         $display_name = get_user_meta($user_data->ID, 'display_name', true);
522         if (empty($display_name)) {
523             wp_update_user( array(
524                 'ID' => $user_data->ID,
525                 'display_name' => $name,
526                 'user_nicename' => $name
527             ) );
528         }
529         $current_time = current_time('mysql');
530
531         update_user_meta( $user_data->ID, 'last_login', $current_time);
532         $this->login_session($user_data->ID, "OLD");
533     }else{
534         if(!$ _POST['waNumber'] == "" && !$_POST['waNumber'] == null){
535             $mobile_number = sanitize_text_field( $_POST['waNumber'] );
536             $user_data = get_user_by( 'login', $mobile_number);
537             if($user_data){
538                 $display_name = get_user_meta($user_data->ID, 'display_name', true);
539                 if (empty($display_name)) {

```

```

Line
540         wp_update_user( array(
541             'ID' => $user_data->ID,
542             'display_name' => $name,
543             'user_nicename' => $name
544         ) );
545     }
546     if(!$POST['waEmail'] == "" && !$POST['waEmail'] == null ){
547         wp_update_user( array(
548             'ID' => $user_data->ID,
549             'user_email' => $POST['waEmail']
550         ) );
551     }
552     $current_time = current_time('mysql');
553
554     update_user_meta( $user_data->ID, 'last_login', $current_time);
555     $this->login_session($user_data->ID, "OLD");
556 }else{
557     $user_id = $this->get_user_id_by_mobile($mobile_number);
558     if($user_id != 0){
559         $this->login_session($user_id, "OLD");
560     }
561 }
562 }
563     $this->
>otpless_create_user(sanitize_text_field($POST['waNumber']), sanitize_text_field($POST['waName']), sanitize_t
ext_field($POST['waEmail']));
564 }
565 }
566 }
567 }
568
569 function getMobileNumberWithPlus($mobile_number) {
570     $mobile_number = "+".$mobile_number;
571     return $mobile_number;
572 }
573
574
575 function get_user_id_by_mobile($mobile_number) {
576     $user_id = 0;
577
578     $users = get_users(array(
579         'meta_key' => 'mobile',
580         'meta_value' => $mobile_number,
581         'fields' => 'ID'
582     ));
583     if (!empty($users)) {
584         $user_id = $users[0];
585         return $user_id;
586     }
587     $users = get_users(array(
588         'meta_key' => 'billing_phone',
589         'meta_value' => $mobile_number,
590         'fields' => 'ID'
591     ));
592
593     if (!empty($users)) {
594         $user_id = $users[0];
595     }else{
596         $users = get_users(array(
597             'meta_key' => 'billing_phone',
598             'meta_value' => "+".$mobile_number,
599             'fields' => 'ID'
600         ));

```

```

Line
601
602         if (!empty($users)) {
603             $user_id = $users[0];
604         }else if (preg_match('/^\d{12}$/', $mobile_number)) {
605             $mobile_number = substr($mobile_number, 2);
606             $user = get_users(array(
607                 'meta_key' => 'billing_phone',
608                 'meta_value' => $mobile_number,
609                 'fields' => 'ID'
610             ));
611             if (!empty($user)) {
612                 $user_id = $user[0];
613             }
614         }
615     }
616
617     return $user_id;
618 }
619
620 /**
621  * Return url to auto login
622  *
623  * Generate the url to auth user by user data
624  * @param object $user_data
625  * @return string
626  * @todo fix signature
627  *
628  * @since 0.0.0
629  * @access public
630  */
631 public function get_login_url($user_data)
632 {
633     if(!is_wp_error( $key = get_password_reset_key( $user_data ) )){ // Generate password reset key
634         $login_url = add_query_arg( array(
635             'key' => $key,
636             'email' => rawurlencode( $user_data->user_email )
637         ), site_url('wp-login.php') );
638         return $login_url;
639     }
640     return false;
641 }
642
643 /**
644  * Include file by path and return
645  *
646  * @param string $path
647  * @return string
648  *
649  * @codeCoverageIgnore
650  */
651 protected function get_template_content(string $path): string
652 {
653     $html = '';
654     if (file_exists($path)) {
655         ob_start();
656         include $path;
657         $html .= ob_get_clean();
658     }
659
660     return $html;
661 }
662
663 /**

```

Line	
664	<code>* Terminates execution of the script</code>
665	<code>*</code>
666	<code>* Use this method to die scripts!</code>
667	<code>*</code>
668	<code>* @param string \$message</code>
669	<code>*/</code>
670	<code>protected function exit()</code>
671	<code>{</code>
672	<code> exit;</code>
673	<code>}</code>
674	
675	<code>/**</code>
676	<code> * Logging</code>
677	<code> *</code>
678	<code> * @param \$message</code>
679	<code> */</code>
680	<code>protected function log(\$message): void</code>
681	<code>{</code>
682	<code> if (!is_string(\$message)) {</code>
683	<code> \$message = print_r(\$message, true);</code>
684	<code> }</code>
685	<code> error_log(\$message);</code>
686	<code>}</code>
687	<code>}</code>

[About](#)

[News](#)

[Hosting](#)

[Donate](#)

[Swag](#)

[Documentation](#)

[Developers](#)

[Get Involved](#)

[Learn](#)

[Showcase](#)

[Plugins](#)

[Themes](#)

[Patterns](#)

[WordCamp](#)

[WordPress.TV](#)

[BuddyPress](#)

[bbPress](#)

[WordPress.com](#)

[Matt](#)

[Privacy](#)

[Public Code](#)