

Plugin Directory

source: [wp-seo-structured-data-schema / trunk / lib / classes / KcSeoHelper.php](#)

Last change on this file was [3289009](#), checked in by kcseopro, 31 hours ago

Release version 2.8.0

File size: 18.0 KB

Line	Code
1	<?php
2	
3	if (!class_exists('KcSeoSettings')):
4	
5	class KcSeoHelper
6	{
7	function verifyNonce() {
8	\$nonce = !empty(\$_REQUEST['_kcseo_nonce']) ? sanitize_text_field(\$_REQUEST['_kcseo_nonce']) : null;
9	if (!wp_verify_nonce(\$nonce, \$this->nonceText())) {
10	return false;
11	}
12	
13	return true;
14	}
15	
16	function nonceText() {
17	return "kcseo_nonce_secret_text";
18	}
19	
20	function isValidBase64(\$string = null) {
21	// Check if input is not a string
22	if (!is_string(\$string)) {
23	return false;
24	}
25	\$decoded = @base64_decode(\$string, true);
26	// Check if there is no invalid character in string
27	if (!@preg_match('/^[\a-zA-Z0-9\/\r\n]*={0,2}\$/ ', \$string)) {
28	return false;
29	}
30	
31	// Decode the string in strict mode and send the response
32	if (!@base64_decode(\$string, true)) {
33	return false;
34	}
35	
36	// Encode and compare it to original one
37	if (@base64_encode(\$decoded) != \$string) {
38	return false;
39	}
40	
41	return true;
42	}
43	
44	function get_post_type_list() {
45	\$post_types = get_post_types(
46	array(
47	'public' => true
48)
49);

```
Line 50      $exclude = array('attachment', 'revision', 'nav_menu_item');
51      foreach ($exclude as $ex) {
52          unset($post_types[$ex]);
53      }
54
55      return $post_types;
56  }
57
58  function kcSeoPostTypes() {
59      $post_types = get_post_types(
60          array(
61              '_builtin' => true
62          )
63      );
64      $exclude = array('attachment', 'revision', 'nav_menu_item');
65      foreach ($exclude as $ex) {
66          unset($post_types[$ex]);
67      }
68
69      return $post_types;
70  }
71
72 /**
73 * Sanitize field value
74 *
75 * @param string $fieldId
76 * @param array  $field
77 * @param null   $value
78 *
79 * @return array|null
80 * @internal param $value
81 */
82 function sanitize($fieldId, $field = array(), $value = null) {
83     $newValue = null;
84     $type = (!empty($field['type'])) ? sanitize_text_field($field['type']) : 'text';
85     if (is_array($field) && $value) {
86         if (in_array($fieldId, ['description', 'articleBody', 'review_body'])) {
87             $newValue = KcSeoHelper::filter_content($value);
88         } else {
89             if ($type == 'url') {
90                 $newValue = esc_url($value);
91             } else if ($type == 'textarea') {
92                 $newValue = wp_kses($value, []);
93             } else if ($field['type'] == 'group' && !empty($field['fields'])) {
94                 $newGValue = [];
95                 $groupValue = is_array($value) ? $value : [];
96                 foreach ($groupValue as $gId => $gValue) {
97                     $newVItem = [];
98                     foreach ($field['fields'] as $gFid => $fieldItem) {
99                         if (isset($gValue[$gFid])) {
100                             $newVItem[$gFid] = $this->sanitize($gFid, $fieldItem, $gValue[$gFid]);
101                         }
102                     }
103                     array_push($newGValue, $newVItem);
104                 }
105                 $newValue = $newGValue;
106             } else {
107                 $newValue = sanitize_text_field($value);
108             }
109         }
110     }
111 }
112 }
```

Line	
113	return \$newValue;
114	}
115	
116	
117	function sanitizeOutput(\$value, \$type = 'text') {
118	\$newValue = null;
119	if (\$value) {
120	if (\$type == 'text') {
121	\$newValue = esc_html(stripslashes(\$value));
122	} elseif (\$type == 'url') {
123	\$newValue = esc_url(stripslashes(\$value));
124	} elseif (\$type == 'textarea') {
125	\$newValue = esc_textarea(stripslashes(\$value));
126	} else {
127	\$newValue = esc_html(stripslashes(\$value));
128	}
129	}
130	
131	return \$newValue;
132	}
133	
134	static function get_same_as(\$value) {
135	\$sameAs = null;
136	if (\$value) {
137	\$sameAsRaw = preg_split('/\r\n \r \n/', \$value);
138	\$sameAsRaw = !empty(\$sameAsRaw) ? array_filter(\$sameAsRaw) : array();
139	if (!empty(\$sameAsRaw) && is_array(\$sameAsRaw)) {
140	if (1 < count(\$sameAsRaw)) {
141	\$sameAs = \$sameAsRaw;
142	} else {
143	\$sameAs = \$sameAsRaw[0];
144	}
145	}
146	}
147	
148	return \$sameAs;
149	}
150	
151	
152	function imageInfo(\$attachment_id) {
153	\$data = array();
154	\$imgData = wp_get_attachment_metadata(\$attachment_id);
155	\$data['url'] = wp_get_attachment_url(\$attachment_id);
156	\$data['width'] = !empty(\$imgData['width']) ? absint(\$imgData['width']) : 0;
157	\$data['height'] = !empty(\$imgData['height']) ? absint(\$imgData['height']) : 0;
158	
159	return \$data;
160	}
161	
162	static function filter_content(\$content, \$limit = 0) {
163	\$content = preg_replace('#\[[^\]]+\]#', '', wp_filter_nohtml_kses(\$content));
164	\$content = stripslashes(\$content);
165	\$content = convert_invalid_entities(\$content);
166	\$content = self::characterToHTMLEntity(\$content);
167	if (\$limit && strlen(\$content) > \$limit) {
168	\$content = mb_substr(\$content, 0, \$limit, "utf-8");
169	\$content = preg_replace('/\W\w+\s*(\W*)\$/ ', '\$1', \$content);
170	}
171	
172	\$content = str_replace(' ', ' ', \$content);
173	\$content = str_replace(PHP_EOL, ' ', \$content);
174	\$content = str_replace("\r", ' ', \$content);
175	

Line	
176	return \$content;
177	}
178	
179	static function characterToHTMLEntity(\$str) {
180	\$replace = array(
181	'<>',
182	'&',
183	'<',
184	'>',
185	'€',
186	'“‘',
187	'”‘',
188	'“”,
189	'””,
190	'–‘',
191	'–‘',
192	'í‘',
193	'¢‘',
194	'£‘',
195	'¤‘',
196	'¥‘',
197	'₩‘',
198	'§‘',
199	'“‘‘',
200	'©‘',
201	'ª‘',
202	'«‘',
203	'¬‘',
204	'®‘',
205	'“‘‘‘',
206	'°‘',
207	'±‘',
208	'²‘',
209	'³‘',
210	'‘‘‘',
211	'μ‘',
212	'¶‘',
213	'·‘‘‘',
214	'„‘‘‘',
215	'¹‘‘‘',
216	'º‘‘‘',
217	'»‘‘‘',
218	'¹/₄‘‘‘',
219	'¹/₂‘‘‘',
220	'¾‘‘‘',
221	'¿‘‘‘',
222	'À‘‘‘',
223	'Á‘‘‘',
224	'Â‘‘‘',
225	'Ã‘‘‘',
226	'Ä‘‘‘',
227	'Å‘‘‘',
228	'Æ‘‘‘',
229	'Ç‘‘‘',
230	'È‘‘‘',
231	'É‘‘‘',
232	'Ê‘‘‘',
233	'Ë‘‘‘',
234	'Ì‘‘‘',
235	'Í‘‘‘',
236	'Î‘‘‘',
237	'Ï‘‘‘',
238	'Ð‘‘‘',

Line	
239	'Ñ',
240	'Ò',
241	'Ó',
242	'Ô',
243	'Õ',
244	'Ö',
245	'×',
246	'Ø',
247	'Ù',
248	'Ú',
249	'Û',
250	'Ü',
251	'Ý',
252	'Þ',
253	'ß',
254	'à',
255	'á',
256	'â',
257	'ã',
258	'ä',
259	'å',
260	'æ',
261	'ç',
262	'è',
263	'é',
264	'ê',
265	'ë',
266	'ì',
267	'í',
268	'î',
269	'ï',
270	'ð',
271	'ñ',
272	'ò',
273	'ó',
274	'ô',
275	'õ',
276	'ö',
277	'÷',
278	'ø',
279	'ù',
280	'ú',
281	'û',
282	'ü',
283	'ý',
284	'þ',
285	'ÿ',
286	'Œ',
287	'œ',
288	'‘’,
289	'“”,
290	'…’,
291	'™’,
292	'•’,
293	'~’,
294) ;
295	
296	\$search = array(
297	'�',
298	'&',
299	'<',
300	'>',
301	'�',

Line	
302	'‘',
303	'’',
304	'“',
305	'”',
306	'–',
307	'—',
308	'¡',
309	'¢',
310	'£',
311	'¤',
312	'¥',
313	'¦',
314	'§',
315	'¨',
316	'©',
317	'ª',
318	'«',
319	'¬',
320	'®',
321	'¯',
322	'°',
323	'±',
324	'²',
325	'³',
326	'´',
327	'µ',
328	'¶',
329	'·',
330	'¸',
331	'¹',
332	'º',
333	'»',
334	'¼',
335	'½',
336	'¾',
337	'¿',
338	'À',
339	'Á',
340	'Â',
341	'Ã',
342	'&Auuml;',
343	'Å',
344	'Æ',
345	'Ç',
346	'È',
347	'É',
348	'Ê',
349	'Ë',
350	'Ì',
351	'Í',
352	'Î',
353	'Ï',
354	'Ð',
355	'Ñ',
356	'Ò',
357	'Ó',
358	'Ô',
359	'Õ',
360	'Ö',
361	'×',
362	'Ø',
363	'Ù',
364	'Ú',

Line	
365	'Û',
366	'Ü',
367	'Ý',
368	'Þ',
369	'ß',
370	'à',
371	'á',
372	'â',
373	'ã',
374	'ä',
375	'å',
376	'æ',
377	'ç',
378	'è',
379	'é',
380	'ê',
381	'ë',
382	'ì',
383	'í',
384	'î',
385	'ï',
386	'ð',
387	'ñ',
388	'ò',
389	'ó',
390	'ô',
391	'õ',
392	'ö',
393	'÷',
394	'ø',
395	'ù',
396	'ú',
397	'û',
398	'ü',
399	'ý',
400	'þ',
401	'ÿ',
402	'Œ',
403	'œ',
404	'‚',
405	'„',
406	'…',
407	'™',
408	'•',
409	'&asymp,'
410) ;
411	
412	//REPLACE VALUES
413	\$str = str_replace(\$search, \$replace, \$str);
414	
415	//RETURN FORMATED STRING
416	return \$str;
417	}
418	
419	function fix1_2DataMigration() {
420	global \$KcSeoWPSchema;
421	\$fix_1_2 = get_option(\$KcSeoWPSchema->options['1_2_fix']);
422	\$installed_version = get_option(\$KcSeoWPSchema->options['installed_version']);
423	if (empty(\$fix_1_2) && empty(\$installed_version)) {
424	global \$wpdb;
425	\$ids = array();
426	\$posts = \$wpdb->get_results("
427	SELECT posts.ID FROM {\$wpdb->prefix}posts as posts

```

Line   WHERE posts.post_type = 'post'
428    AND EXISTS (
429        SELECT * FROM `{$wpdb->prefix}postmeta` as postmeta
430        WHERE postmeta.`meta_key` LIKE '_schema_%'
431        AND postmeta.`post_id`=posts.ID
432    ")");
433
434 if ($posts) {
435     foreach ($posts as $id) {
436         $ids[] = $id->ID;
437     }
438 }
439 $pages = $wpdb->get_results("
440     SELECT posts.ID FROM {$wpdb->prefix}posts as posts
441         WHERE posts.post_type = 'page'
442         AND EXISTS (
443             SELECT * FROM `{$wpdb->prefix}postmeta` as postmeta
444                 WHERE postmeta.`meta_key` LIKE '_schema_%'
445                 AND postmeta.`post_id`=posts.ID
446         );
447 if ($pages) {
448     foreach ($pages as $id) {
449         $ids[] = $id->ID;
450     }
451 }
452
453
454 if (!empty($ids)) {
455     $schemaFields = KcSeoOptions::getSchemaTypes();
456     foreach ($ids as $id) {
457         foreach ($schemaFields as $schemaID => $schema) {
458             $schemaMetaId = $KcSeoWPSchema->KcSeoPrefix . $schemaID;
459             $getRawMeta = get_post_meta($id, $schemaMetaId, true);
460             $metaData = array();
461             if (!empty($getRawMeta)) {
462                 if ($KcSeoWPSchema->isValidBase64($getRawMeta)) {
463                     $metaData = @unserialize(base64_decode($getRawMeta));
464                 } else {
465                     $metaData = @unserialize($getRawMeta);
466                 }
467             }
468             $metaData = (!empty($metaData) ? $metaData : array());
469             if (!empty($metaData) && is_array($metaData)) {
470                 $metaData['active'] = true;
471                 update_post_meta($id, $schemaMetaId, $metaData);
472             }
473         }
474     }
475 }
476
477 update_option($KcSeoWPSchema->options['1_2_fix'], true);
478 }
479 }
480
481 function advertisingBlock() {
482     ?
483     <div class='kc-get-pro'>
484         <h3><?php _e("Pro Version Features", "wp-seo-structured-data-schema") ?></h3>
485         <ol>
486             <li><?php _e("Includes Auto-fill function <--Popular", "wp-seo-structured-data-schema") ?>
487             <li><?php _e("Supports Custom Post Types beyond default page and posts", "wp-seo-
488 structured-data-schema") ?></li>
489             <li><?php _e("Supports WordPress Multisite", "wp-seo-structured-data-schema") ?></li>

```

```
ine
489         <li><?php _e("Supports more schema types:", "wp-seo-structured-data-schema") ?>
490             <ol>
491                 <li><?php _e("Books", "wp-seo-structured-data-schema") ?></li>
492                 <li><?php _e("Courses", "wp-seo-structured-data-schema") ?></li>
493                 <li><?php _e("Person", "wp-seo-structured-data-schema") ?></li>
494                 <li><?php _e("Job Postings", "wp-seo-structured-data-schema") ?></li>
495                 <li><?php _e("Movies", "wp-seo-structured-data-schema") ?></li>
496                 <li><?php _e("Music", "wp-seo-structured-data-schema") ?></li>
497                 <li><?php _e("Recipe", "wp-seo-structured-data-schema") ?></li>
498                 <li><?php _e("TV Episode", "wp-seo-structured-data-schema") ?></li>
499                 <li><?php _e("QAPage", "wp-seo-structured-data-schema") ?></li>
500                 <li><?php _e("Item List", "wp-seo-structured-data-schema") ?></li>
501             </ol>
502         </li>
503     </ol>
504     <div class="kc-pro-action"><a class='button button-primary'
505 href='https://wpsemplugins.com/downloads/wordpress-schema-
plugin/' target='_blank'><?php _e("Get the Pro Version", "wp-seo-
506 structured-data-schema") ?></a>
507     </div>
508     </div>
509     <?php
510 }
511
512 function fix2_5_7_to_2_5_8() {
513     global $KcSeoWPSchema;
514     $installed_version = get_option($KcSeoWPSchema->options['installed_version']);
515     if (version_compare($installed_version, '2.5.7', '<=')) {
516         $settings = get_option($KcSeoWPSchema->options['settings']);
517         if (isset($settings['contact']['contactType'])) {
518             $settings['contact']['contactType'] = strtolower($settings['contact']['contactType']);
519             update_option($KcSeoWPSchema->options['settings'], $settings);
520         }
521         if (isset($settings['area_served']) && !empty($settings['area_served'])) {
522
523             $cList = KcSeoOptions::getCountryList();
524             $areas = array();
525             foreach ($settings['area_served'] as $area) {
526                 $key = array_search($area, $cList);
527                 if ($key) {
528                     $areas[] = $key;
529                 }
530             }
531             if (!empty($areas)) {
532                 $settings['area_served'] = $areas;
533                 update_option($KcSeoWPSchema->options['settings'], $settings);
534             }
535         }
536     }
537 }
538 }
539 }
540
541 endif;
```

News

Hosting

Donate

Swag

Documentation

Developers

Get Involved

Learn

Showcase

Plugins

Themes

Patterns

WordCamp

WordPress.TV

BuddyPress

bbPress

WordPress.com

Matt

Privacy

Public Code